

July 2017

# Workplace

SLIP RESISTANT MATTING



[www.plastexmatting.com](http://www.plastexmatting.com)

Plastic Extruders Ltd.



## Our Mission *A Mat for All Reasons*

Our mission is to add to our distributors, and in turn their customers, profitability, safety, productivity and style by designing and manufacturing cutting edge matting for all work, education and leisure environments.

### *Our Values*

Founded in 1962, Plastic Extruders Ltd (Plastex) are a second generation family run firm with long serving employees who take personal responsibility for maintaining the highest service standards and delivering the right solution on time and on budget.

### *Working with you to meet your needs*

“ Through our design and innovation program we work with our customers to constantly improve the form, function and cost effectiveness of our products.

Even though we have an extensive range suitable for most applications, we often fulfill individual customer needs by producing custom solutions. If you feel you may have one we would be pleased to hear from you. ”



PETER O'SULLIVAN  
Sales Director

DAVID O'SULLIVAN  
Managing Director

Plastic Extruders Ltd UK & Plastex Matting Inc USA



Follow Plastex Matting on:






## **Plastex** *and the environment*

As a global supplier with manufacturing plants in the UK and the USA, we constantly seek to reduce the environmental impact of our manufacturing processes. For example, all our black matting is made with up to 100% post-industrial recycled material, but always with a minimum content of 30%.

To further minimize impact and avoid waste, we don't throw away any materials. All our factory trimmings and production process scrap are re-used in our own production. We do not re-sell any material to 3rd party reprocessors.



### **In compliance with REACH regulation**

The 2007 European Community REACH regulation (Registration, Evaluation, Authorization and Restriction of Chemicals) gives manufacturers the responsibility of providing high level human and environmental protection from the use of chemicals in manufacturing.

Plastex does not use any substances currently included on the SVHC (Substances of Very High Concern) list under REACH, including "DEHP" Di(2-ethylhexyl) phthalate, also known as Dioctyl phthalate (DOP), plasticizer.

### **In compliance with Proposition 65**

Plastex conforms with The State of California Safe Drinking Water and Toxic Enforcement Act of 1986, also known as Proposition 65 (Prop 65).

Further information can be found at [www.plastexmatting.com](http://www.plastexmatting.com).

Matting & flooring manufactured  
in Europe and the USA.  
- Distributed worldwide





Ensure you have been supplied with a genuine Plastex product



To avoid plagiarism, today we emboss the trademarked names on the underside of our grid matting.

---

## Testing and Measurement

In our constant pursuit of excellence, we subject our products to the rigors of scientific testing. This includes external testing through international bodies, but we don't stop there. If an external test doesn't exist, we will commission a University research project. Plastex continually strives to ensure we maintain the highest standards expected by our customers worldwide.

---

## Plastex

### Three levels of service

Once we've established your exact need, we'll recommend the product that is right for you, from our three levels of service.

#### General Purpose

We have an extensive range of general purpose matting designed for various environments. So whether you're looking for comfort, slip resistance, soil removal or increased hygiene, we will have the product for you.

#### Specialist

We have also built up a full range of products for demanding specialist environments such as light and heavy industrial, as well as food preparation both big and small.

#### Customization

If we can't exactly meet your needs from our current range, we will design and manufacture a mat specifically for you.

**Whatever your requirements we will put all our knowledge and care into delivering exactly the mat you need, on time and on budget - "A mat for all reasons".**

# Why Slip Resistant Matting?

Professional Retail Store Maintenance reports that more than 1 million people suffer an injury from a slip, trip or fall in the U.S. each year and that slips, trips and falls account for 15 to 20% of all workers compensation costs. These statistics are consistent in most markets globally confirming slips, trips and falls being a major workplace hazard.

Our slip resistant matting products are specifically designed to:

- **Improve safety underfoot**
- **Reduce slip, trip and fall accidents**
- **Remove spillages and debris from the working area**
- **Thermal and acoustical enhancement**

Plastex slip resistant matting range features a combination of PVC construction, etched or cut surfaces for improved slip resistance, animal fat and oil resistant properties, 100% recycled PVC products and many more...

## Which Plastex product is right for you?

The chart below will help you choose the right mat for the right reasons, but if you have any questions contact us - we'll be delighted to help.

PRODUCT	SLIP RESISTANCE	WEAR	COMFORT	DRAINAGE/ SPILLAGE	SITUATION	USAGE
<b>GENERAL PURPOSE</b>						
Vynagrip Vynagrip Plus Vynagrip Modules p. 4-6						Hard wearing, heavy usage, long term.
Heronair p. 7						Cushions against breakages, good general purpose.
Floorline p. 8						Ideal for light usage and cushioning.
Plastex Chex p. 12						For coverage of large areas.
Plastex Lok p. 13						For coverage of large areas with likelihood of spillage.
Trackgrip p. 14						Hard wearing, large debris, long term.
<b>WORKSHOP / TOOL ROOM</b>						
Flexigrid p. 10						Larger components, debris, filings and heavy spillage.
Firmagrip p. 11						Close spaced grid, smaller components and wheeled traffic.
<b>FOOD PROCESSING / KITCHENS</b>						
Herongripa p. 9						Large format grid ideal for food processing environments.

# VYNAGRIP

## The ultimate slip resistant matting solution

Automatic drainage combined with an extra aggressive diamond tread surface for increased slip resistance make Vynagrip especially effective wherever oil, water, liquid and debris spillages are likely.

Increase safety, comfort and productivity in the workplace with Vynagrip. Vynagrip offers a slip resistant, anti-fatigue matting solution which can be relied upon to perform in wide ranging heavy duty commercial and industrial applications.

Vynagrip is made from 2 layers of non-porous, flexible PVC welded together to create extra strong joints. It is available in rolls or modules with accessories to suit all needs (see page 15).




### BENEFITS

- Certified slip resistance **DIN 51130:RII - ASTM 1677: 1.0/0.9**
- Excellent drainage **DIN 51130:V10**
- Chemical, oil and acid resistant
- Environmentally-friendly
- Easy to cut on site, contours to uneven surfaces
- Quick to install
- Boost productivity
- Fire resistant

### FEATURES

- Diamond cut pattern
- Two layer construction
- Non-porous PVC (impermeable to fluids)
- Black Vynagrip: 100% recycled material
- Made from flexible PVC
- Supplied in 33' (10m) rolls or ramped modules
- Proven and tested anti-fatigue properties
- Certified **EN 13501: Cf - S1**

### STANDARD COLORS



RED\*



BLUE



BLACK

\* Red color is not colorfast in direct sunlight.

### BLACK VYNAGRIP


An environmentally-friendly product made from 100% recycled material.

Other Vynagrip colors available on request.

### STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS**		
Vynagrip	5/8" (15mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)	4' x 33' (1.22 x 10m)

\*\*Contact us for custom dimensions.



# VYNAGRIP PLUS

## A slip resistant matting with yellow edge

A hard wearing PVC grid matting to mark routes and delineate areas.

With the same specifications as Vynagrip, a slip resistant, anti-fatigue matting solution which can be relied upon to perform in wide ranging heavy duty commercial and industrial applications, Vynagrip Plus matting has yellow edges for extra safety and demarcation.

The matting is made from 2 layers of non-porous, flexible PVC welded together to create extra strong joints. It is available in rolls with accessories to suit all needs.



### BENEFITS

- Certified slip resistance **DIN 51130:RII - ASTM 1677: 1.0/0.9**
- Excellent drainage **DIN 51130:V10**
- Marks routes and delineates areas
- Chemical, oil and acid resistant
- Easy to cut on site, contours to uneven surfaces
- Quick to install
- Boost productivity
- Fire resistant

### FEATURES

- Diamond cut pattern
- Two layer construction
- Yellow edge running length of mat
- Non-porous PVC (impermeable to fluids)
- Made from flexible PVC
- Supplied in 33' (10m) rolls
- Proven and tested anti-fatigue properties
- Certified **EN 13501: Cf - S1**

### STANDARD COLOR




WITH YELLOW EDGE

### STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS*		
Vynagrip Plus	5/8" (15mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)	4' x 33' (1.22 x 10m)

\*Contact us for custom dimensions.





# VYNAGRIP MODULES

## Reducing slips and standing fatigue at work

Hard wearing PVC grid matting modules providing comfort and slip resistance.

Vynagrip matting is also available in standard size modules with fitted edging on 3 sides to identify work areas, prevent hazards and fit snugly against work stations.

Vynagrip is made from 2 layers of non-porous, flexible PVC that are welded together to create extra strong joints. Its diamond tread surface and proven anti-fatigue properties make it one of the most suited mats for reducing standing fatigue, while improving comfort in work environments.



### BENEFITS

- Certified slip resistance **DIN 51130:R11 - ASTM 1677: 1.0/0.9**
- Excellent drainage **DIN 51130:V10**
- Chemical, oil and acid resistant
- Contours to uneven surfaces
- Fits snugly against work surfaces
- Boost productivity
- Fire resistant
- Quick to install

### FEATURES

- Diamond cut pattern
- Two layer construction
- Non-porous PVC (impermeable to fluids)
- Made from flexible PVC
- Supplied with fitted edging on 3 sides
- Proven anti-fatigue properties
- Certified **EN 13501: Cfl - S1**
- 2 standard sizes with factory fitted edging

### STANDARD COLORS



BLACK with GRAY edging



BLACK with YELLOW edging

Other colors available on request.

### STANDARD MODULE SIZES


PRODUCT	HEIGHT	STANDARD MODULE OPTIONS*	
Vynagrip Modules	5/8" (15mm)	2'5" x 4' (0.8 x 1.2m)	3'3" x 5' (1 x 1.5m)

\* Supplied with factory fitted edging on 3 sides.





# HERONAIR



## A hardwearing and versatile work horse

Heronair is an economical, tubular constructed matting for general purpose applications that provides excellent slip resistance and insulation.

Heronair's hollow construction uses less material, so it is also light to move and easy to lift for cleaning purposes.

It is especially effective wherever there is a risk of water and spillages underfoot as it is also highly slip resistant (R11 under DIN 51130 testing).



### BENEFITS

Certified slip resistance **DIN 51130: R11 - ASTM 1677: 0.6/0.6**

Excellent drainage **DIN 51130: V10**

Fatigue-reducing and insulating

Chemical, oil and acid resistant

Easy to cut on site, contours to uneven surfaces

Quick to install

Fire resistant

Environmentally-friendly

### FEATURES

Etched pattern

Two layer construction

Hollow construction

Non-porous PVC

Made from flexible PVC

Supplied in 33' (10m) rolls

Certified **EN 13501: Cf1 - S1**

Made from 100% recycled material

### STANDARD COLOR




BLACK

Other colors available on request.

### STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS*		
Heronair	3/8" (10mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)	4' x 33' (1.22 x 10m)

\*Contact us for custom dimensions.



# FLOORLINE

Light, economical and comfortable

Economical and multi-purpose, Floorline matting has wide ranging uses in light industrial and commercial applications where an attractive, slip resistant and cushioned matting is required.

The cushioning effect of Floorline reduces the risk of damage to items that are accidentally dropped while its open grid format dissipates spillages and permits easy drainage.

This effective combination makes Floorline a popular matting for clubs, restaurants, bars and hospitality areas where staff have to stand, spills are likely and breakages possible.




## BENEFITS

- Certified slip resistance **DIN 51130: R11 & C** **ASTM 1677: 1.0/0.8**
- Excellent drainage **DIN 51130: V10**
- Easy to clean
- Easy to cut on site, contours to uneven surfaces
- Quick to install
- UV resistant
- Fire resistant
- Enhanced branding or styling


## FEATURES

- Etched pattern
- Open grid construction
- Non-porous PVC (impermeable to fluids)
- Made from flexible PVC
- Supplied in 33' (10m) rolls
- Can be used indoor or outdoor\*
- Certified **EN 13501: Cf1 - S1**
- 5 standard colors


## STANDARD COLORS




RED\*




BLUE



GREEN



BEIGE



WHITE


Other colors available on request.

\* Red color is not colorfast in direct sunlight.

## STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS**	
Floorline	1/4" (6mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)

\*\*Contact us for custom dimensions.



# HERONGRIPA

## Vinyl matting resistant to animal fat and oils

Developed primarily for the food processing and preparation industries, Herongripa is a specialized matting system that is animal fat resistant.

The wide spaced open grid format allows waste and spillages to fall through, keeping the standing area free of slippery and potentially hazardous matter. The one piece hardwearing vinyl roll format allows for ease of rolling up during cleaning routines.




### BENEFITS

- Certified slip resistance **DIN 51130: R11** **ASTM 1677: 0.8/0.7**
- Excellent drainage **DIN 51130: V10**
- Durable vinyl for food processing areas
- Chemical, oil and acid resistant
- One piece covering
- Continuous hygiene
- Efficiently removes spillages


### FEATURES

- Diamond cut pattern
- Two layer construction
- Animal fat resistant DINP plasticized PVC
- Non-porous PVC (impermeable to fluids)
- Supplied in 33' (10m) rolls
- Anti-fungal and anti-bacterial additives
- Large open grid format

### STANDARD COLOR



TERRACOTTA



### STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS*		
Herongripa	5/8" (15mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)	4' x 33' (1.22 x 10m)

\*Contact us for custom dimensions.



# FLEXIGRID

## Tough at work, gentle on the environment

For the toughest industrial applications where high levels of liquids and debris are generated by manufacturing and production processes.

Combining higher elevation with an open grid and an aggressive grip surface, Flexigrid delivers slip resistance and drainage where spillage, debris and standing water or liquids are an issue.



### BENEFITS

- Certified slip resistance **DIN 51130: R11 - ASTM 1677: 0.6/0.5**
- Excellent drainage **DIN 51130: V10**
- Chemical, oil and acid resistant
- Easy to cut on site, contours to uneven surfaces
- Quick to install
- Boost productivity
- Environmentally friendly
- Fire resistant

### FEATURES

- Diamond tread surface
- Two layer construction
- Non-porous PVC (impermeable to fluids)
- Made from flexible PVC
- Supplied in 33' (10m) rolls
- Proven anti-fatigue properties
- Made from 100% recycled material
- Certified **EN 13501: Cfl - S1**

### STANDARD COLOR



BLACK

### STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS*		STANDARD MODULE OPTIONS*	
Flexigrid	3/4" (20mm)	2' x 16'6" (0.6 x 5m)	3' x 16'6" (0.91 x 5m)	2' x 6' (0.6 x 1.8m)	3' x 6' (0.91 x 1.8m)
Flexigrid	3/4" (20mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)		

\*Contact us for custom dimensions.



# F I R M A G R I P

## Close mesh matting for small wheeled traffic

For busy industrial areas where hand trucks and small-wheeled vehicles are in use and liquids may be liable to be spilled.

Firmagrip is a quality close mesh matting dense enough to prevent smaller components falling through, yet is effective at drainage it carries the highest certification. Add to that excellent slip resistance and you've got a quality matting solution.



### BENEFITS

- Certified slip resistance **DIN 51130: R11**
- Excellent drainage **DIN 51130: V10**
- Ideal for small wheeled traffic
- Chemical, oil and acid resistant
- Easy to cut on site, contours to uneven surfaces
- Quick to install
- Fire resistant
- Enhanced branding or styling


### FEATURES

- Diamond cut pattern
- Two layer construction
- Close mesh construction
- Non-porous PVC (impermeable to fluids)
- Made from flexible PVC
- Supplied in 33' (10m) rolls
- Certified **EN 13501: Cf1 - S1**
- 3 standard colors

### STANDARD COLORS



RED\*



GREEN



BLACK

Other colors available on request.

\* Red color is not colorfast in direct sunlight.

### STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS**		
Firmagrip	9/16" (14mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)	4' x 33' (1.22 x 10m)

\*\*Contact us for custom dimensions.



# PLASTEX CHEX

## 100% recycled heavy duty checker plate PVC tiles

Plastex Chex is a hard wearing tiling system, delivering long life and value for investment.

It can be used as a temporary or permanent flooring solution for coverage of large areas in the workplace, such as work stations, finishing/assembly areas, laboratories, localized workcells and storage areas.




### BENEFITS

- Slip resistant and hard wearing
- Insulating and chemical, oil and acid resistant
- Quick to install
- Environmentally-friendly
- REACH compliant
- Finished areas

### FEATURES

- Checker plate surface
- Non-porous PVC (impermeable to fluids)
- Interlocking jigsaw tiles
- Made from 100% recycled material
- Made with certified recycled material
- PVC ramped edging

### STANDARD COLOR



BLACK




### STANDARD SIZES

PRODUCT	HEIGHT	STANDARD TILE SIZE
Plastex Chex	9/16" (14mm)	1'8" x 1'8" (0.5 x 0.5m)

Available in packs of 16 tiles






## 100% recycled heavy duty open grid PVC tiles

Plastex Lok is a hard wearing open grid tiling system, delivering long life and value for investment.

It can be used as a temporary or permanent flooring solution for coverage of large areas in the workplace with the likelihood of heavy spillage, such as work stations, finishing/assembly areas, laboratories, localized work cells and machine shops.




### BENEFITS

- Certified slip resistance **DIN 51130:R12**
- Excellent drainage **DIN 51130:V10**
- Chemical, oil and acid resistant
- Quick to install
- Environmentally-friendly
- Easy to cut on site, contours to uneven surfaces
- Finished areas

### FEATURES

- Pimpled surface
- Raised construction
- Non-porous PVC (impermeable to fluids)
- Interlocking tiles
- Made from 100% recycled material
- Made from flexible PVC
- PVC ramped edging

### STANDARD COLOR



BLACK



### STANDARD SIZES

PRODUCT	HEIGHT	STANDARD TILE SIZE
Plastex Lok	5/8" (16mm)	1'8" x 1'8" (0.5 x 0.5m)

Available in packs of 16 tiles

# TRACKGRIP

## Wide space open grid slip resistant matting

For greasy and grimy environments.

This highly slip resistant matting is very effective wherever oils or greasy materials are spilled. A wide grid design allows for better drainage and fall through, keeping the surface free from potentially dangerous slip hazards. Trackgrip was developed for railway maintenance areas but is highly effective in most greasy and grimy environments.



### BENEFITS

- Certified slip resistance **DIN 51130: R11** **ASTM 1677: 0.9/0.7**
- Excellent drainage
- Chemical, oil and acid resistant
- Easy to clean with a high pressure hose
- Quick to install
- Fire resistant


### FEATURES

- Diamond cut pattern
- Two layer construction and extra wide spacing
- Non-porous PVC (impermeable to fluids)
- Made from flexible PVC
- Supplied in 33' (10m) rolls
- Certified **EN 13501: Cfl - S1**


### Trackgrip Plus

Trackgrip with the additional benefit of yellow edge to mark routes and delineate areas.

### STANDARD COLOR



BLACK



BLACK with YELLOW EDGING



### STANDARD SIZES

PRODUCT	HEIGHT	STANDARD ROLL OPTIONS*		
Trackgrip	5/8" (15mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)	4' x 33' (1.22 x 10m)
Trackgrip Plus	5/8" (15mm)	2' x 33' (0.6 x 10m)	3' x 33' (0.91 x 10m)	4' x 33' (1.22 x 10m)

\*Contact us for custom dimensions.

# Ancillaries for Workplace slip resistant products

## Firmagrip



9/16" x 2 1/2" x 33'  
(14mm x 60mm x 10.1m)

### 2 1/2" PVC edging strip

Supplied in rolls of 33' (10.1m) length with cold welding paste.

Colors: Black, Dark Gray



9/16" x 3 3/4" x 33'  
(14mm x 100mm x 10.1m)

### 3 3/4" PVC edging strip

Supplied in rolls of 33' (10.1m) length with cold welding paste.

Colors: Black, Dark Gray, Yellow




5/8" x 1 13/16" x 6'6"  
(15mm x 45mm x 2m)

### Aluminum edging strip

Supplied in sections of 6'6" (2m) length with fixing screws and plugs.

Color: Anodized Aluminum



### Connector clips - side to side

For joining sections of matting together side to side. Supplied in packs of 10.



9/16" x 8'2"  
(14mm x 2.5m)

### Snap Track

2 part snap track can be welded to join rolls end to end or side to side for large area covering. Supplied with cold welding paste.

Color: Dark Gray

## Herongrip & Trackgrip



9/16" x 2 1/2" x 33'  
(14mm x 60mm x 10.1m)

### 2 1/2" PVC edging strip

Supplied in rolls of 33' (10.1m) length with cold welding paste.

Colors: Black, Dark Gray



9/16" x 3 3/4" x 33'  
(14mm x 100mm x 10.1m)

### 3 3/4" PVC edging strip

Supplied in rolls of 33' (10.1m) length with cold welding paste.

Colors: Black, Dark Gray, Yellow




5/8" x 1 13/16" x 6'6"  
(15mm x 45mm x 2m)

### Aluminum edging strip


Supplied in sections of 6'6" (2m) length with fixing screws and plugs.

Color: Anodized Aluminum



### Connector clips - dual purpose

For joining sections of matting together side to side or end to end. Supplied in packs of 10.



### Small floor hook

For securing sections of matting to floor. Supplied in packs of 10 with screws and plugs.

## Heronair




3/8" x 2" x 33'  
(10mm x 50mm x 10.1m)

### 2" PVC edging strip


Supplied in rolls of 33' (10.1m) length with cold welding paste.

Colors: Black, Dark Gray



### Connector clips - dual purpose

For joining sections of matting together side to side or end to end. Supplied in packs of 10.



13/32" x 5'11"  
(10.5mm x 1.8m)

### Snap Track - Low Profile

2 part snap track can be welded to join rolls end to end or side to side for large area covering.

Supplied with cold welding paste.

Color: Dark Gray

## Flexigrid




7/8" x 2 3/16" x 6'6"  
(22mm x 50mm x 2m)

### Aluminum edging strip

Supplied in sections of 6'6" (2m) length with fixing screws and plugs.

Color: Anodized Aluminum

## Vynagrip & Vynagrip Plus



9/16" x 2 1/2" x 33'  
(14mm x 60mm x 10.1m)

### 2 1/2" PVC edging strip

Supplied in rolls of 33' (10.1m) length with cold welding paste.

Colors: Black, Dark Gray



9/16" x 3 3/4" x 33'  
(14mm x 100mm x 10.1m)

### 3 3/4" PVC edging strip

Supplied in rolls of 33' (10.1m) length with cold welding paste.

Colors: Black, Dark Gray, Yellow




5/8" x 1 13/16" x 6'6"  
(15mm x 45mm x 2m)

### Aluminum edging strip

Supplied in sections of 6'6" (2m) length with fixing screws and plugs.

Color: Anodized Aluminum



### Connector clips - dual purpose

For joining sections of matting together side to side or end to end. Supplied in packs of 10.



### Connector clips - side to end

For joining sections of matting together side to end. Supplied in packs of 10.



9/16" x 8'2"  
(14mm x 2.5m)

### Snap Track

2 part snap track can be welded to join rolls end to end or side to side for large area covering.

Supplied with cold welding paste.

Color: Dark Gray



### Small floor hook

For securing sections of matting to floor. Supplied in packs of 10 with screws and plugs.



### Large floor hook

For securing sections of matting to floor. Supplied in packs of 10 with screws and plugs.

## Plastex Chex



1/2" x 2" x 1'8"  
(12mm x 50mm x 500mm)

### 2" PVC edging strip

Supplied in 1'8" (50cm) lengths.

Colors: Black, Yellow

## Plastex Lok




1/2" x 2" x 1'8"  
(12mm x 50mm x 500mm)

### 2" PVC edging strip

Male and female strips available.

Supplied in 1'8" (50cm) lengths.

Colors: Black, Yellow



### 2" PVC edge corner

Colors: Black, Yellow

1/2" x 2" x 2"  
(12mm x 50mm x 50mm)

### Connector clips - end to end

For joining two ends of the edging together. One lug is supplied for every two pieces of edging in the relevant color.

Colors: Black, Yellow







## We make our matting, and that makes all the difference

When you purchase Plastex matting you're also investing in our extensive know-how that comes from over 55 years of designing, testing and manufacturing matting solutions for a diverse range of applications; knowledge we apply to make sure we find exactly the right solution for you.

This is important as an incorrectly specified product may actually increase risk. For example using a mat designed for bare feet in a workplace area could potentially increase slip accidents. That's why simply picking a product from a web page may not deliver the correct solution.

## Talk to Us

To make sure you get the right mat for the right reasons, talk to us and our distributors.

The 45+ products within the Plastex range of matting and flooring offer **"a mat for all reasons"**.

To make it easier for you to choose the right mat for the right reason, we've divided our range into the sections below. Simply pick the section that best suits your need, and then use the segmentation chart you'll find at the front of each section to help you make your final choice.




Workplace SLIP RESISTANT MATTING	
Product Index	
Firmagrip	11
Flexigrid	10
Floorline	8
Heronair	7
Herongripa	9
Plastex Chex	12
Plastex Lok	13
Trackgrip	14
Vynagrip	4
Vynagrip Plus	5
Vynagrip Modules	6

Full Manufacturer  
Warranty - Another good  
reason to choose Plastex

All Plastex flooring and matting products will give excellent and long service. In the unlikely event a Plastex product has a defect in workmanship, we offer a full refund or replacement warranty. The warranty periods vary depending on the product, please view full terms and details at [www.plastexmatting.com/warranty-policy.html](http://www.plastexmatting.com/warranty-policy.html)





[www.plastexmatting.com](http://www.plastexmatting.com)

**Plastic Extruders Ltd.**

Russell Gardens, Wickford,  
Essex SS11 8DN, England

Tel: +44 (0) 1268 571116

**Plastex Matting, Inc.**

120 55th Street NE  
Fort Payne, AL 35967 USA

Tel: +1 256 845 7725

