

Herongripa




Heavy-duty, animal fat-resistant matting with delineated stand zones designed to help keep workers 6ft apart.



Oils, acids and animal fats are no match for Herongripa, a specialized matting solution designed to keep food processing environments free from slippery floors, as well as relieving employees from fatigue.

The mat's extra-wide open grid means waste and other spillages fall straight through, keeping the standing area free from hazardous material. Made from a single piece of heavy-duty non-porous PVC, the matting is easy to handle and clean with a high pressure hose, making maintenance a breeze.

Herongripa also comes with delineated stand zones for easy social distancing. The bright yellow markers give employees a clear section in which to work, making it ideal for workplaces with standing employees or frequent shift changeovers.



Features:



Diamond-cut pattern



Two-layer construction with extra wide grid



Made from non-porous DINP plasticised PVC



Anti-fungal and anti-bacterial additives



Comes in 33', 35' or 84' rolls



Benefits:



Certified slip resistant (DIN 51130:R11 ASTM 1677:0.8/0/7)



Excellent drainage




Resistant to animal fat



Excellent hygiene, easy to clean



Quick to install



Plastex Matting Inc.

120 55th NE
Fort Payne
AL 3596, USA
+1 256 845 7725

USA + UK manufactured matting products:
plastexmatting.com



Standard sizes:

Product	Herongripa	Herongripa (with delineated stand zones)
Height	5/8" (15mm)	35' x 2'
Standard roll options	33' x 2' (10 x 0.6m)	35' x 3'
	33' x 3' (10 x 0.91m)	35' x 4'
	3'3" x 4' (10 x 1.22m)	84' x 2'
		84' x 3'
		84' x 4'
Weight	0.88 lb/sq.ft (4.3 kg/m ²)	

Tolerances:

	Height (+/- 0.05")	Length (0+1.0')	Width (+/- 1cm)
Herongripa	5/8"	33'	2' 3' 4'

All dimensions are nominal

Technical information:

Acoustic	Excellent sound absorption
Chemical	Resistant to most acids, alkalines and oils. You can read more about specific chemical resistances by downloading this information sheet .
Composition	Made from flexible animal fat resistant DINP plasticised Polyvinyl Chloride (PVC) with Steritouch additives.
Environment	Herongripa is 100% recyclable. We don't use any substances included in the SVHC list under REACH in any of our matting products..
Hygiene	Made from non-porous PVC that's naturally resistant to bacteria growth.
Reversion	Thermoplastic shrinkage can result in size reductions up to 2%. This may be accelerated in hot environments. You can read more about the causes of shrinkage by downloading this information sheet .
Slip resistance	ASTM F 1677 - Dry/Wet: 0.8/0.7 DIN 51130: R11, V10
Thermal	Designed to function at temperatures from -9°F and up to +140°F. Slight size variation may occur at temperature extremes.
UV light	Resistant to PVC degradation
Warranty	Three years. Visit our policies page for more information about warranties

Installation:

Herongripa's one-piece construction means installation is simple


- Comes in 33' rolls
- Loose lay
- Contours to uneven surfaces

Cleaning:


Keeping Herongripa looking good is easy:

- One piece covering
- Easy to handle
- Roll or lift to clean
- Easy to clean with a high pressure hose

Colors:



Terracotta




Black with yellow bands

More colors
available
upon request

Ancillaries:


> Herongripa

PVC edging (H: 9/16", W: 2 1/2")



Supplied in rolls of 33' (10.1m) length with cold welding paste. Comes in black, dark gray, dark brown, holly green, Oxford blue, yellow. Size: 9/16" x 2 1/2" x 33' (14mm x 60mm x 10.1m)

Aluminum edging (H: 9/16")



Supplied in sections of 6'6" (2m) length with fixing screws and plugs. Comes in anodized aluminum and powder coated yellow. Size: 5/8" x 1 13/16" x 6'6" (14mm x 45mm x 2m)

Small floor hook (H: 9/16")



For securing sections of matting to the floor. Supplied in packs of 20 with screws and plugs